## NOTAS CIENTÍFICAS E RESENHAS

## NEW RECORD OF Glironia venusta (BUSHY-TAILED OPOSSUM) (MAMMALIA, GLIRONIIDAE) FOR THE STATE OF RONDÔNIA – BRAZIL

The bushy-tailed opossum *Glironia venusta* Thomas, 1912 is a rare and small marsupial (head and body length of 160-205 mm), whose distribution is poorly known in the upper Amazonian region of Brazil (State of Amazonas), Ecuador, Peru, and Bolivia (MARSHAL, 1978; EMMONS & FEER, 1997; NOWAK, 1999) (Figure 1). Four out of nine specimens recorded in the literature were acquired from commercial animal dealers (MARSHAL, **op. cit.**). *Glironia venusta* is listed in the 2002 IUCN Red List of Threatened Species as vulnerable (IUCN, 2002).

On 17 May 2001, an individual of *G. venusta* was captured in a pitfall trap (200 liter with 90 centimeter of height) with drift fences, in an area of open rainforest during a study of snake community of the Jaburi Farm (11°35′-11°38′S; 60°41′-60°45′W; 280 m asl), Municipality of Espigão do Oeste, State of Rondônia, Brazil.

The opossum was photographed (Figure 2) and immediately released. Only this *G. venusta* individual was trapped from a total of 155 marsupials captured

within a year. At the study site, suggesting that this species present a low density in the area and/or is difficult to trap using a pitfall due to its predominantly arboreal habits (EMMONS & FEER, 1997; NOWAK, 1999). This is the first record of this species for the State of Rondônia.

## ACKNOWLEDGEMENT

Our sincere thanks to Claudia Freitas and Randy Speltz for their help in the english review.

## REFERENCES

IUCN. **2002 IUCN Red List of Threatened Species**. Disponível em: <a href="http://redlist.org/info/organization.html">http://redlist.org/info/organization.html</a>>. Acesso em: 10 out. 2002.

MARSHAL, L. G. *Glironia venusta*. **Mammalian Species**, New York, n. 107, p. 1-3, 1978.

NOWAK, R.M. **Walker's mammals of the world**. 6. ed. Baltimore: Johns Hopkins University Press, 1999. v. 1, 836 p.

EMMONS, L.H.; FEER, F. **Neotropical rainforest mammals**: a field guide. 2. ed. Chicago: University of Chicago Press, 1997. 307 p.


Paulo Sérgio Bernarde<sup>1</sup> Vlamir José Rocha<sup>2</sup>

Recebido em: 18.12.02. Aceito em: 25.06.03.

<sup>&</sup>lt;sup>1</sup> Faculdade de Ciências Biomédicas de Cacoal – FACIMED. Av. Cuiabá, 3087, Jardim Clodoaldo, CEP 78976-005 Cacoal, RO, Brazil.

<sup>&</sup>lt;sup>2</sup> KLABIN S.A. Fazenda Monte Alegre, CEP 84279-000 Telêmaco Borba, PR, Brazil – E-mail: vlamir@klabinpr.com.br

184 BERNARDE, P. S. & ROCHA, V. J.



**Fig. 1.** Map of South America showing area of occurence of *Glironia venusta* of according EMMONS & FEER (1997) and map of State of Rondônia, Brazil, indicating the new locality for this species, the Municipality of Espigão do Oeste.



**Fig. 2.** Bushy-tailed opossum (*Glironia venusta*) photographed in 17 May 2001 at Espigão do Oeste, State of Rondônia, Brazil. Photo by P. S. Bernarde.